



CONTENTS

Features & Benefits	4
Product Ranges: Plates	9
1.2 – 3.5 Straight Plates	10
3.5 Normal Broad Plates	14
1.2 – 3.5 Reconstruction Plates	16
1.2 – 3.5 T Plates	18
3.5 TPLO Plates	21
2.0 – 3.5 DFO Plates	23
2.0 – 3.5 Acetabulum Plates	25

2.0 - 3.5 Bridge Plates	26
-------------------------	----

2.0 - 3.5 Arthrodesis Plates	29
------------------------------	----

Product Ranges: Screws	37
-------------------------------	-----------

1.2 - 3.5 Cortical Screws & Locking Screws	38
--	----

Product Ranges: Instruments	43
------------------------------------	-----------

1.2 / 1.5 / 2.0 Instruments	44
-----------------------------	----


2.4 / 2.7 / 3.5 Series Instruments	52
------------------------------------	----

Series Selection	60
-------------------------	-----------

ARIX Vet System

General Features

- Anatomically pre-contoured
- Material: Titanium Alloy
- Left & right plate variation for anatomical fitting
- Limited contact design for better blood supply
- Variable locking system up to $\pm 15^\circ$
- Plate thickness 1.4 ~ 4.6 mm
- Disposable battery power driver available (optional)
- Various plate shapes



Screw Variations



- Material: Titanium Alloy
- Locking & Cortical variation available
- Variable locking system up to $\pm 15^\circ$
- Diameter: $\varnothing 1.2$, $\varnothing 1.5$, $\varnothing 2.0$, $\varnothing 2.4$, $\varnothing 2.7$, $\varnothing 3.5$
- Length: 4 ~ 50 mm
- STARIX Pick-up for better torque transmission and less cam-out



Screws Specification

Self-retaining cruciform and starix connection between screw head and screwdriver shaft


*Material: Titanium Alloy

Micro & Mini Series		Screw Types	Screw Head Recess	Length	Insert Types	Color
Ø1.2mm Screw		Cortical (Non-locking)	Cruciform	4 ~16mm	Self-tapping	Gold
		Locking	Cruciform	4 ~16mm	Self-tapping	Blue
Ø1.5mm Screw		Cortical (Non-locking)	STARIX(T7)	6 ~24mm	Self-tapping	Silver
		Locking	STARIX(T7)	6 ~24mm	Self-tapping	Purple
Ø2.0mm Screw		Cortical (Non-locking)	STARIX(T7)	6 ~24mm	Self-tapping	Gold
		Locking	STARIX(T7)	6 ~24mm	Self-tapping	Blue
Large Series		Screw Types	Screw Head Recess	Length	Insert Types	Color
Ø2.4mm Screw		Cortical (Non-locking)	STARIX(T8)	8 ~50mm	Self-tapping	Silver
		Locking	STARIX(T8)	8 ~50mm	Self-tapping	Blue
Ø2.7mm Screw		Cortical (Non-locking)	STARIX(T8)	8 ~50mm	Self-tapping	Silver
		Locking	STARIX(T8)	8 ~50mm	Self-tapping	Gold
Ø3.5mm Screw		Cortical (Non-locking)	STARIX(T10)	8 ~50mm	Self-tapping	Purple
		Locking	STARIX(T10)	8 ~50mm	Self-tapping	Green

1.2 / 1.5 / 2.0 Plate Specification

- Both Rigid(Gold) and Flexible(Blue) and Middle(Silver) types available
- Plate thickness: 1.4 ~ 2.5 mm




*Material: Titanium Alloy

	Micro & Mini Series	Size	Thickness	Color
Straight Plate	 Limited Contact Design	Ø 1.2 mm, Flexible	1.4 mm	Blue
		Ø 1.2 mm, Rigid	1.7 mm	Gold
		Ø 1.5 / Ø 2.0 mm, Middle	2.0 mm	Silver
		Ø 1.5 / Ø 2.0 mm, Rigid	2.2 mm	Gold
Reconstruction Plate		Ø 1.5 / Ø 2.0 mm, Middle	2.0 mm	Silver
		Ø 1.5 / Ø 2.0 mm, Rigid	2.2 mm	Gold
T Plate		Ø 1.2 mm, Flexible	1.4 mm	Blue
		Ø 1.2 mm, Rigid	1.7 mm	Gold
		Ø 1.5 / Ø 2.0 mm, Rigid	2.0 mm	Gold
TPLO Plate		Ø 1.5 mm	1.5 mm	Green
DFO Plate		Ø 1.5 / Ø 2.0 mm, Flexible	2.0 mm	Blue
		Ø 1.5 / Ø 2.0 mm, Rigid	2.0 mm	Gold
Acetabulum Plate		Ø 1.5 / Ø 2.0 mm	2.0 mm	Gold
Bridge Plate		Ø 1.5 / Ø 2.0 mm	2.0 mm	Gold
Arthrodesis Plate		Ø 1.2 / Ø 1.5 / Ø 2.0 mm	2.0 mm	Blue

2.4 / 2.7 / 3.5 Plate Specification

- 2.4mm(blue) and 2.7mm(gold) and 3.5mm(green) types
- Plate thickness: 2.2 ~ 4.6 mm

*Material: Titanium Alloy

	Large Series	Size	Thickness	Color
Normal Straight Plate		Ø2.4mm	2.5mm	Blue
		Ø2.7mm	3.0mm	Gold
		Ø3.5mm	3.7mm	Green
Normal Broad Plate		Ø3.5mm	4.6mm	Green
Reconstruction Plate		Ø2.4mm	2.5mm	Blue
		Ø2.7mm	3.0mm	Gold
		Ø3.5mm	3.7mm	Green
T Plate		Ø2.4mm	2.5mm	Blue
		Ø2.7mm	3.0mm	Gold
		Ø3.5mm	3.7mm	Green
TPLO Plate		Ø2.4mm	2.5mm	Blue
		Ø2.7mm	3.0mm	Gold
		Ø3.5mm	3.7mm	Green
TPLO Broad Plate		Ø3.5mm	3.7mm	Green
DFO Plate		Ø2.7mm	3.0mm	Gold
		Ø3.5mm	3.7mm	Green
Acetabulum Plate		Ø2.4mm	2.5mm	Blue
		Ø2.7mm	3.0mm	Gold
		Ø3.5mm	3.7mm	Green
Bridge Plate		Ø2.4mm	2.5mm	Blue
		Ø2.7mm	3.0mm	Gold
		Ø3.5mm	3.7mm	Green
Arthrodesis Plate		Ø2.7mm	2.0mm	Gold
		Ø3.5mm	2.5mm	Green





PRODUCT RANGES: PLATES

ARIX Vet 1.2 – 3.5 Series

Straight Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z12-ST-024-F	Ø 1.2 mm, Flexible	3.0 mm	77.1 mm	24	1.4 mm	Blue
						
Z12-ST-024-R	Ø 1.2 mm, Rigid	3.5 mm	77.6 mm	24	1.7 mm	Gold
						
Z20-ST-024-M	Ø 1.5 / Ø 2.0 mm, Middle	5.0 mm	121.0 mm	24	2.0 mm	Silver
						
Z20-ST-024-R	Ø 1.5 / Ø 2.0 mm, Rigid	6.0 mm	145.0 mm	24	2.2 mm	Gold

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z24-ST-006-N	Ø 2.4 mm	7.0 mm	55.5 mm	6	2.5 mm	Blue
						
Z24-ST-008-N	Ø 2.4 mm	7.0 mm	71.5 mm	8	2.5 mm	Blue
						
Z24-ST-010-N	Ø 2.4 mm	7.0 mm	87.5 mm	10	2.5 mm	Blue
						
Z24-ST-012-N	Ø 2.4 mm	7.0 mm	103.5 mm	12	2.5 mm	Blue
						
Z24-ST-014-N	Ø 2.4 mm	7.0 mm	119.5 mm	14	2.5 mm	Blue
						
Z24-ST-016-N	Ø 2.4 mm	7.0 mm	135.5 mm	16	2.5 mm	Blue
						
Z24-ST-018-N	Ø 2.4 mm	7.0 mm	151.5 mm	18	2.5 mm	Blue
						
Z24-ST-020-N	Ø 2.4 mm	7.0 mm	167.5 mm	20	2.5 mm	Blue

ARIX Vet 1.2 – 3.5 Series

Normal Straight Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z27-ST-006-N	Ø2.7 mm	8.0 mm	62.5 mm	6	3.0 mm	Gold
						
Z27-ST-008-N	Ø2.7 mm	8.0 mm	80.5 mm	8	3.0 mm	Gold
						
Z27-ST-010-N	Ø2.7 mm	8.0 mm	98.5 mm	10	3.0 mm	Gold
						
Z27-ST-012-N	Ø2.7 mm	8.0 mm	116.5 mm	12	3.0 mm	Gold
						
Z27-ST-014-N	Ø2.7 mm	8.0 mm	134.5 mm	14	3.0 mm	Gold
						
Z27-ST-016-N	Ø2.7 mm	8.0 mm	152.5 mm	16	3.0 mm	Gold
						
Z27-ST-018-N	Ø2.7 mm	8.0 mm	170.5 mm	18	3.0 mm	Gold
						
Z27-ST-020-N	Ø2.7 mm	8.0 mm	188.5 mm	20	3.0 mm	Gold

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z35-ST-006-N	Ø 3.5 mm	11.0 mm	82.0 mm	6	3.7 mm	Green
--------------	----------	---------	---------	---	--------	-------



Z35-ST-008-N	Ø 3.5 mm	11.0 mm	106.0 mm	8	3.7 mm	Green
--------------	----------	---------	----------	---	--------	-------



Z35-ST-010-N	Ø 3.5 mm	11.0 mm	130.0 mm	10	3.7 mm	Green
--------------	----------	---------	----------	----	--------	-------



Z35-ST-012-N	Ø 3.5 mm	11.0 mm	154.0 mm	12	3.7 mm	Green
--------------	----------	---------	----------	----	--------	-------



Z35-ST-014-N	Ø 3.5 mm	11.0 mm	178.0 mm	14	3.7 mm	Green
Z35-ST-016-N	Ø 3.5 mm	11.0 mm	202.0 mm	16	3.7 mm	Green
Z35-ST-018-N	Ø 3.5 mm	11.0 mm	226.0 mm	18	3.7 mm	Green
Z35-ST-020-N	Ø 3.5 mm	11.0 mm	250.0 mm	20	3.7 mm	Green

ARIX Vet 1.2 – 3.5 Series

Normal Broad Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z35-ST-106-N	Ø 3.5 mm	14.0 mm	89.6 mm	6	4.6 mm	Green
--------------	----------	---------	---------	---	--------	-------



Z35-ST-108-N	Ø 3.5 mm	14.0 mm	115.6 mm	8	4.6 mm	Green
--------------	----------	---------	----------	---	--------	-------



Z35-ST-110-N	Ø 3.5 mm	14.0 mm	141.6 mm	10	4.6 mm	Green
--------------	----------	---------	----------	----	--------	-------



Z35-ST-112-N	Ø 3.5 mm	14.0 mm	167.6 mm	12	4.6 mm	Green
--------------	----------	---------	----------	----	--------	-------



Z35-ST-114-N	Ø 3.5 mm	14.0 mm	193.6 mm	14	4.6 mm	Green
Z35-ST-116-N	Ø 3.5 mm	14.0 mm	219.6 mm	16	4.6 mm	Green
Z35-ST-118-N	Ø 3.5 mm	14.0 mm	245.6 mm	18	4.6 mm	Green
Z35-ST-120-N	Ø 3.5 mm	14.0 mm	271.6 mm	20	4.6 mm	Green

Reconstruction Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z24-ST-006-R	Ø 2.4 mm	8.0 mm	48.0 mm	6	2.5 mm	Blue
						
Z24-ST-008-R	Ø 2.4 mm	8.0 mm	64.0 mm	8	2.5 mm	Blue
						
Z24-ST-010-R	Ø 2.4 mm	8.0 mm	80.0 mm	10	2.5 mm	Blue
						
Z24-ST-012-R	Ø 2.4 mm	8.0 mm	96.0 mm	12	2.5 mm	Blue

ARIX Vet 1.2 – 3.5 Series

Reconstruction Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z24-ST-014-R	Ø 2.4 mm	8.0 mm	112.0 mm	14	2.5 mm	Blue
						
Z24-ST-016-R	Ø 2.4 mm	8.0 mm	128.0 mm	16	2.5 mm	Blue
						
Z24-ST-018-R	Ø 2.4 mm	8.0 mm	144.0 mm	18	2.5 mm	Blue
						
Z24-ST-020-R	Ø 2.4 mm	8.0 mm	160.0 mm	20	2.5 mm	Blue
						
Z27-ST-006-R	Ø 2.7 mm	9.0 mm	54.0 mm	6	3.0 mm	Gold
						
Z27-ST-008-R	Ø 2.7 mm	9.0 mm	72.0 mm	8	3.0 mm	Gold
						
Z27-ST-010-R	Ø 2.7 mm	9.0 mm	90.0 mm	10	3.0 mm	Gold
						
Z27-ST-012-R	Ø 2.7 mm	9.0 mm	108.0 mm	12	3.0 mm	Gold

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z27-ST-014-R	Ø 2.7 mm	9.0 mm	126.0 mm	14	3.0 mm	Gold
Z27-ST-016-R	Ø 2.7 mm	9.0 mm	144.0 mm	16	3.0 mm	Gold
Z27-ST-018-R	Ø 2.7 mm	9.0 mm	162.0 mm	18	3.0 mm	Gold
Z27-ST-020-R	Ø 2.7 mm	9.0 mm	180.0 mm	20	3.0 mm	Gold



Z35-ST-006-R	Ø 3.5 mm	11.0 mm	71.0 mm	6	3.7 mm	Green
--------------	----------	---------	---------	---	--------	-------



Z35-ST-008-R	Ø 3.5 mm	11.0 mm	95.0 mm	8	3.7 mm	Green
--------------	----------	---------	---------	---	--------	-------



Z35-ST-010-R	Ø 3.5 mm	11.0 mm	119.0 mm	10	3.7 mm	Green
--------------	----------	---------	----------	----	--------	-------



Z35-ST-012-R	Ø 3.5 mm	11.0 mm	143.0 mm	12	3.7 mm	Green
--------------	----------	---------	----------	----	--------	-------



Z35-ST-014-R	Ø 3.5 mm	11.0 mm	167.0 mm	14	3.7 mm	Green
Z35-ST-016-R	Ø 3.5 mm	11.0 mm	191.0 mm	16	3.7 mm	Green
Z35-ST-018-R	Ø 3.5 mm	11.0 mm	215.0 mm	18	3.7 mm	Green
Z35-ST-020-R	Ø 3.5 mm	11.0 mm	239.0 mm	20	3.7 mm	Green

ARIX Vet 1.2 – 3.5 Series

T Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z12-TT-029-F	Ø 1.2 mm, Flexible	Head: 5.7 mm, Shaft: 3.0 mm	87.4 mm	29	1.4 mm	Blue
						
Z12-TT-029-R	Ø 1.2 mm, Rigid	Head: 6.4 mm, Shaft: 4.0 mm	87.4 mm	29	1.7 mm	Gold
						
Z20-TT-012-R	Ø 1.5 / Ø 2.0 mm, Rigid	Head: 10.0 mm, Shaft: 4.5 mm	56.8 mm	12	2.0 mm	Gold




* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z24-TT-007-N	Ø 2.4 mm	Head: 13.0 mm, Shaft: 7.0 mm	50.7 mm	7	2.5 mm	Blue
						
Z24-TT-009-N	Ø 2.4 mm	Head: 13.0 mm, Shaft: 7.0 mm	66.7 mm	9	2.5 mm	Blue
						
Z24-TT-011-N	Ø 2.4 mm	Head: 13.0 mm, Shaft: 7.0 mm	82.7 mm	11	2.5 mm	Blue
						
Z24-TT-013-N	Ø 2.4 mm	Head: 13.0 mm, Shaft: 7.0 mm	98.7 mm	13	2.5 mm	Blue
						
Z27-TT-007-N	Ø 2.7 mm	Head: 15.0 mm, Shaft: 8.0 mm	56.1 mm	7	3.0 mm	Gold
						
Z27-TT-009-N	Ø 2.7 mm	Head: 15.0 mm, Shaft: 8.0 mm	74.1 mm	9	3.0 mm	Gold
						
Z27-TT-011-N	Ø 2.7 mm	Head: 15.0 mm, Shaft: 8.0 mm	92.1 mm	11	3.0 mm	Gold
						
Z27-TT-013-N	Ø 2.7 mm	Head: 15.0 mm, Shaft: 8.0 mm	110.1 mm	13	3.0 mm	Gold

ARIX Vet 1.2 – 3.5 Series

T Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z35-TT-007-N	Ø 3.5 mm	Head: 20.0 mm, Shaft: 11.0 mm	73.3 mm	7	3.7 mm	Green
						
Z35-TT-009-N	Ø 3.5 mm	Head: 20.0 mm, Shaft: 11.0 mm	97.3 mm	9	3.7 mm	Green
						
Z35-TT-011-N	Ø 3.5 mm	Head: 20.0 mm, Shaft: 11.0 mm	121.3 mm	11	3.7 mm	Green
						
Z35-TT-013-N	Ø 3.5 mm	Head: 20.0 mm, Shaft: 11.0 mm	145.3 mm	13	3.7 mm	Green

TPLO Plates

* Illustrated scale 1:1, unit: mm

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z15-TM-006	Ø 1.5 Ø 2.0	Head: 9.0, Shaft: 5.0	28.9	6	2.0	Green
------------	----------------	--------------------------	------	---	-----	-------

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z20-TM-007-R	Ø 1.5/Ø 2.0, Rigid	Head: 9.0, Shaft: 4.7	35.0	7	2.0	Gold
--------------	-----------------------	--------------------------	------	---	-----	------



Z15-TL-006 Z15-TR-006	Ø 1.5 Ø 2.0	Head: 9.9, Shaft: 5.0	26.3	6	2.0	Green
--------------------------	----------------	--------------------------	------	---	-----	-------



Z20-TL-007-R Z20-TR-007-R	Ø 1.5/Ø 2.0, Rigid	Head: 10.8, Shaft: 4.7	36.0	7	2.0	Gold
------------------------------	-----------------------	---------------------------	------	---	-----	------




Z20-TL-106-R Z20-TR-106-R	Ø 1.5/Ø 2.0, Rigid	Head: 10.8, Shaft: 5.5	31.5	6	2.0	Gold
------------------------------	-----------------------	---------------------------	------	---	-----	------

ARIX Vet 1.2 – 3.5 Series

TPLO Plates


* Illustrated scale 1:1, unit: mm

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------




Z20-TL-007-F	Ø 1.5/Ø 2.0,	Head: 8.7,	33.0	7	2.0	Blue
Z20-TR-007-F	Flexible	Shaft: 4.3				


Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z24-TL-006	Ø 2.4	Head: 13.2,	38.3	6	2.5	Blue
Z24-TR-006		Shaft: 7.5				



Z20-TL-106-F	Ø 1.5/Ø 2.0,	Head: 8.7,	28.7	6	2.0	Blue
Z20-TR-106-F	Flexible	Shaft: 5.0				




Z27-TL-006	Ø 2.7	Head: 17.7,	50.8	6	3.0	Gold
Z27-TR-006		Shaft: 8.5				

TPLO Plates

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z35-TL-006 Z35-TR-006	Ø3.5	Head: 23.8, Shaft: 11.0	64.0	6	3.7	Green
--------------------------	------	----------------------------	------	---	-----	-------




Z35-TL-108 Z35-TR-108	Ø3.5	Head: 34.9, Shaft: 13.5	79.1	8	4.0	Green
--------------------------	------	----------------------------	------	---	-----	-------


DFO Plates

* Illustrated scale 1:1, unit: mm

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z20-FL-009-F Z20-FR-009-F	Ø1.5/Ø2.0, Flexible	Head: 11.5, Shaft: 4.0	38.9	9	2.0	Blue
------------------------------	------------------------	---------------------------	------	---	-----	------





Z20-FL-009-R Z20-FR-009-R	Ø1.5/Ø2.0, Rigid	Head: 13.0, Shaft: 5.5	48.4	9	2.0	Gold
------------------------------	---------------------	---------------------------	------	---	-----	------

ARIX Vet 1.2 – 3.5 Series

DFO Plates

* Illustrated scale 1:1, unit: mm


Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z27-FL-007 Z27-FR-007	Ø 2.7	Head: 16.6, Shaft: 8.5	63.3	7	3.0	Gold
Z27-FL-008 Z27-FR-008	Ø 2.7	Head: 16.6, Shaft: 8.5	72.3	8	3.0	Gold
Z27-FL-009 Z27-FR-009	Ø 2.7	Head: 16.6, Shaft: 8.5	81.3	9	3.0	Gold
Z27-FL-010 Z27-FR-010	Ø 2.7	Head: 16.6, Shaft: 8.5	90.3	10	3.0	Gold
Z35-FL-007 Z35-FR-007	Ø 3.0	Head: 21.2, Shaft: 11.0	82.9	7	3.7	Green
Z35-FL-008 Z35-FR-008	Ø 3.0	Head: 21.2, Shaft: 11.0	94.9	8	3.7	Green
Z35-FL-009 Z35-FR-009	Ø 3.0	Head: 21.2, Shaft: 11.0	106.9	9	3.7	Green
Z35-FL-010 Z35-FR-010	Ø 3.0	Head: 21.2, Shaft: 11.0	118.0	10	3.7	Green

Acetabulum Plates

* Illustrated scale 1:1, unit: mm

Code	Size	Width	Length	Holes	Thickness	Color	Code	Size	Width	Length	Holes	Thickness	Color
													
Z20-AC-004	Ø 1.5 Ø 2.0	5.5	22.9	4	2.0	Gold	Z20-AC-006	Ø 1.5 Ø 2.0	5.5	30.3	6	2.0	Gold
													
Z24-AC-004	Ø 2.4	7.0	27.3	4	2.2	Blue	Z24-AC-006	Ø 2.4	7.0	36.0	6	2.2	Blue
													
Z27-AC-004	Ø 2.7	8.0	31.1	4	2.7	Gold	Z27-AC-006	Ø 2.7	8.0	41.3	6	2.7	Gold
													
Z35-AC-005	Ø 3.5	9.0	38.5	5	3.2	Green	Z35-AC-006	Ø 3.5	9.0	47.7	6	3.2	Green

ARIX Vet 1.2 – 3.5 Series

Bridge Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Bridge Length	Holes	Thickness	Color
							
Z20-BS-006-30	Ø 1.5 / Ø 2.0 mm	5.5 mm	60.5 mm	30 mm	6	2.0 mm	Gold
							
Z20-BS-006-40	Ø 1.5 / Ø 2.0 mm	5.5 mm	70.5 mm	40 mm	6	2.0 mm	Gold
							
Z20-BS-006-50	Ø 1.5 / Ø 2.0 mm	5.5 mm	80.5 mm	50 mm	6	2.0 mm	Gold
							
Z24-BS-006-30	Ø 2.4 mm	7.0 mm	71.0 mm	30 mm	6	2.5 mm	Blue
							
Z24-BS-006-40	Ø 2.4 mm	7.0 mm	81.0 mm	40 mm	6	2.5 mm	Blue
							
Z24-BS-006-50	Ø 2.4 mm	7.0 mm	91.0 mm	50 mm	6	2.5 mm	Blue
							
Z24-BS-008-50	Ø 2.4 mm	7.0 mm	107.0 mm	50 mm	8	2.5 mm	Blue
							
Z24-BS-008-60	Ø 2.4 mm	7.0 mm	117.0 mm	60 mm	8	2.5 mm	Blue

* Illustrated scale 1:1

Code	Size	Width	Length	Bridge Length	Holes	Thickness	Color
------	------	-------	--------	---------------	-------	-----------	-------



Z27-BS-006-30	Ø 2.7 mm	8.0 mm	76.0 mm	30 mm	6	3.0 mm	Gold
---------------	----------	--------	---------	-------	---	--------	------



Z27-BS-006-40	Ø 2.7 mm	8.0 mm	86.0 mm	40 mm	6	3.0 mm	Gold
---------------	----------	--------	---------	-------	---	--------	------



Z27-BS-008-40	Ø 2.7 mm	8.0 mm	104.0 mm	40 mm	8	3.0 mm	Gold
---------------	----------	--------	----------	-------	---	--------	------



Z27-BS-008-60	Ø 2.7 mm	8.0 mm	124.0 mm	60 mm	8	3.0 mm	Gold
---------------	----------	--------	----------	-------	---	--------	------



Z27-BS-008-70	Ø 2.7 mm	8.0 mm	134.0 mm	70 mm	8	3.0 mm	Gold
---------------	----------	--------	----------	-------	---	--------	------

ARIX Vet 1.2 – 3.5 Series

Bridge Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Bridge Length	Holes	Thickness	Color
							
Z35-BS-006-50	Ø3.5 mm	11.0 mm	111.0 mm	50 mm	6	3.7 mm	Green
							
Z35-BS-008-60	Ø3.5 mm	11.0 mm	145.0 mm	60 mm	8	3.7 mm	Green
							
Z35-BS-008-80	Ø3.5 mm	11.0 mm	165.0 mm	80 mm	8	3.7 mm	Green
							
Z35-BS-008-100	Ø3.5 mm	11.0 mm	185.0 mm	100 mm	8	3.7 mm	Green


Arthrodesis Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
						
Z20-AD-009	Ø 1.2 / Ø 1.5, Ø 2.0 mm	6.0 mm	67.9 mm	9	2.0 mm	Blue

						
Z20-AD-011	Ø 1.2 / Ø 1.5, Ø 2.0 mm	6.0 mm	78.8 mm	11	2.0 mm	Blue

						
Z20-AD-109	Ø 1.2 / Ø 1.5, Ø 2.0 mm	6.0 mm	60.4 mm	9	2.0 mm	Blue

						
Z20-AD-111	Ø 1.2 / Ø 1.5, Ø 2.0 mm	6.0 mm	68.9 mm	11	2.0 mm	Blue

ARIX Vet 1.2 – 3.5 Series

Arthrodesis Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z27-AD-009	Ø 1.5, Ø 2.0 / Ø 2.4, Ø 2.7 mm	8.0 mm	96.4 mm	9	2.5 mm	Gold
------------	--------------------------------	--------	---------	---	--------	------



Z27-AD-011	Ø 1.5, Ø 2.0 / Ø 2.4, Ø 2.7 mm	8.0 mm	109.3 mm	11	2.5 mm	Gold
------------	--------------------------------	--------	----------	----	--------	------

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z27-AD-109	Ø 1.5, Ø 2.0 / Ø 2.4, Ø 2.7 mm	8.0 mm	87.2 mm	9	2.5 mm	Gold
------------	--------------------------------	--------	---------	---	--------	------



Z27-AD-111	Ø 1.5, Ø 2.0 / Ø 2.4, Ø 2.7 mm	8.0 mm	97.5 mm	11	2.5 mm	Gold
------------	--------------------------------	--------	---------	----	--------	------

ARIX Vet 1.2 – 3.5 Series

Arthrodesis Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z35-AD-009	Ø2.4, Ø2.7 / Ø3.5 mm	11.0 mm	124.9 mm	9	3.0 mm	Green
------------	----------------------	---------	----------	---	--------	-------



Z35-AD-011	Ø2.4, Ø2.7 / Ø3.5 mm	11.0 mm	144.7 mm	11	3.0 mm	Green
------------	----------------------	---------	----------	----	--------	-------

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------



Z35-AD-109	Ø 2.4, Ø 2.7 / Ø 3.5 mm	11.0 mm	112.5 mm	9	3.0 mm	Green
------------	-------------------------	---------	----------	---	--------	-------



Z35-AD-111	Ø 2.4, Ø 2.7 / Ø 3.5 mm	11.0 mm	127.5 mm	11	3.0 mm	Green
------------	-------------------------	---------	----------	----	--------	-------

ARIX Vet 1.2 – 3.5 Series

Arthrodesis Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------




(L)



(R)

Z20-AM-009-L Z20-AM-009-R	Ø 1.2 / Ø 1.5, Ø 2.0 mm	7.0 mm	74.6 mm	9	1.7 mm	Blue
------------------------------	-------------------------	--------	---------	---	--------	------



(L)



(R)

Z20-AM-110-L Z20-AM-110-R	Ø 1.2 / Ø 1.5, Ø 2.0 mm	7.0 mm	66.1 mm	10	1.7 mm	Blue
------------------------------	-------------------------	--------	---------	----	--------	------

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------




(L)



(R)

Z27-AM-009-L Z27-AM-009-R	Ø 1.5, Ø 2.0 / Ø 2.4, Ø 2.7 mm	9.0 mm	97.6 mm	9	2.0 mm	Gold
------------------------------	--------------------------------	--------	---------	---	--------	------



(L)

(R)

Z27-AM-110-L Z27-AM-110-R	Ø 1.5, Ø 2.0 / Ø 2.4, Ø 2.7 mm	9.0 mm	86.9 mm	10	2.0 mm	Gold
------------------------------	--------------------------------	--------	---------	----	--------	------

ARIX Vet 1.2 – 3.5 Series

Arthrodesis Plates

* Illustrated scale 1:1

Code	Size	Width	Length	Holes	Thickness	Color
------	------	-------	--------	-------	-----------	-------




(L)



(R)

Z35-AM-009-L Z35-AM-009-R	Ø 2.4, Ø 2.7 / Ø 3.5 mm	11.0 mm	136.4 mm	9	2.5 mm	Green
------------------------------	-------------------------	---------	----------	---	--------	-------



(L)



(R)

Z35-AM-110-L Z35-AM-110-R	Ø 2.4, Ø 2.7 / Ø 3.5 mm	11.0 mm	121.5 mm	10	2.5 mm	Green
------------------------------	-------------------------	---------	----------	----	--------	-------



PRODUCT RANGES: SCREWS

ARIX Vet 1.2/ 1.5 / 2.0 Series

Ø 1.2mm Cortical Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z12-SO-004	Ø 2.2 mm	Ø 1.2 mm	4 mm	Gold
Z12-SO-005	Ø 2.2 mm	Ø 1.2 mm	5 mm	Gold
Z12-SO-006	Ø 2.2 mm	Ø 1.2 mm	6 mm	Gold
Z12-SO-007	Ø 2.2 mm	Ø 1.2 mm	7 mm	Gold
Z12-SO-008	Ø 2.2 mm	Ø 1.2 mm	8 mm	Gold
Z12-SO-009	Ø 2.2 mm	Ø 1.2 mm	9 mm	Gold
Z12-SO-010	Ø 2.2 mm	Ø 1.2 mm	10 mm	Gold
Z12-SO-011	Ø 2.2 mm	Ø 1.2 mm	11 mm	Gold
Z12-SO-012	Ø 2.2 mm	Ø 1.2 mm	12 mm	Gold
Z12-SO-013	Ø 2.2 mm	Ø 1.2 mm	13 mm	Gold
Z12-SO-014	Ø 2.2 mm	Ø 1.2 mm	14 mm	Gold
Z12-SO-015	Ø 2.2 mm	Ø 1.2 mm	15 mm	Gold
Z12-SO-016	Ø 2.2 mm	Ø 1.2 mm	16 mm	Gold

Ø 1.2mm Locking Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z12L-SO-004	Ø 2.2 mm	Ø 1.2 mm	4 mm	Blue
Z12L-SO-005	Ø 2.2 mm	Ø 1.2 mm	5 mm	Blue
Z12L-SO-006	Ø 2.2 mm	Ø 1.2 mm	6 mm	Blue
Z12L-SO-007	Ø 2.2 mm	Ø 1.2 mm	7 mm	Blue
Z12L-SO-008	Ø 2.2 mm	Ø 1.2 mm	8 mm	Blue
Z12L-SO-009	Ø 2.2 mm	Ø 1.2 mm	9 mm	Blue
Z12L-SO-010	Ø 2.2 mm	Ø 1.2 mm	10 mm	Blue
Z12L-SO-011	Ø 2.2 mm	Ø 1.2 mm	11 mm	Blue
Z12L-SO-012	Ø 2.2 mm	Ø 1.2 mm	12 mm	Blue
Z12L-SO-013	Ø 2.2 mm	Ø 1.2 mm	13 mm	Blue
Z12L-SO-014	Ø 2.2 mm	Ø 1.2 mm	14 mm	Blue
Z12L-SO-015	Ø 2.2 mm	Ø 1.2 mm	15 mm	Blue
Z12L-SO-016	Ø 2.2 mm	Ø 1.2 mm	16 mm	Blue

Ø 1.5mm Cortical Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z15-SO-006	Ø 3.1 mm	Ø 1.5 mm	6 mm	Silver
Z15-SO-008	Ø 3.1 mm	Ø 1.5 mm	8 mm	Silver
Z15-SO-010	Ø 3.1 mm	Ø 1.5 mm	10 mm	Silver
Z15-SO-012	Ø 3.1 mm	Ø 1.5 mm	12 mm	Silver
Z15-SO-014	Ø 3.1 mm	Ø 1.5 mm	14 mm	Silver
Z15-SO-016	Ø 3.1 mm	Ø 1.5 mm	16 mm	Silver
Z15-SO-018	Ø 3.1 mm	Ø 1.5 mm	18 mm	Silver
Z15-SO-020	Ø 3.1 mm	Ø 1.5 mm	20 mm	Silver

Ø 1.5mm Locking Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z15L-SO-006	Ø 3.1 mm	Ø 1.5 mm	6 mm	Purple
Z15L-SO-008	Ø 3.1 mm	Ø 1.5 mm	8 mm	Purple
Z15L-SO-010	Ø 3.1 mm	Ø 1.5 mm	10 mm	Purple
Z15L-SO-012	Ø 3.1 mm	Ø 1.5 mm	12 mm	Purple
Z15L-SO-014	Ø 3.1 mm	Ø 1.5 mm	14 mm	Purple
Z15L-SO-016	Ø 3.1 mm	Ø 1.5 mm	16 mm	Purple
Z15L-SO-018	Ø 3.1 mm	Ø 1.5 mm	18 mm	Purple
Z15L-SO-020	Ø 3.1 mm	Ø 1.5 mm	20 mm	Purple

Ø 2.0mm Cortical Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z20-SO-006	Ø 3.1 mm	Ø 2.0 mm	6 mm	Gold
Z20-SO-008	Ø 3.1 mm	Ø 2.0 mm	8 mm	Gold
Z20-SO-010	Ø 3.1 mm	Ø 2.0 mm	10 mm	Gold
Z20-SO-012	Ø 3.1 mm	Ø 2.0 mm	12 mm	Gold
Z20-SO-014	Ø 3.1 mm	Ø 2.0 mm	14 mm	Gold
Z20-SO-016	Ø 3.1 mm	Ø 2.0 mm	16 mm	Gold
Z20-SO-018	Ø 3.1 mm	Ø 2.0 mm	18 mm	Gold
Z20-SO-020	Ø 3.1 mm	Ø 2.0 mm	20 mm	Gold

Ø 2.0mm Locking Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z20L-SO-006	Ø 3.1 mm	Ø 2.0 mm	6 mm	Blue
Z20L-SO-008	Ø 3.1 mm	Ø 2.0 mm	8 mm	Blue
Z20L-SO-010	Ø 3.1 mm	Ø 2.0 mm	10 mm	Blue
Z20L-SO-012	Ø 3.1 mm	Ø 2.0 mm	12 mm	Blue
Z20L-SO-014	Ø 3.1 mm	Ø 2.0 mm	14 mm	Blue
Z20L-SO-016	Ø 3.1 mm	Ø 2.0 mm	16 mm	Blue
Z20L-SO-018	Ø 3.1 mm	Ø 2.0 mm	18 mm	Blue
Z20L-SO-020	Ø 3.1 mm	Ø 2.0 mm	20 mm	Blue

ARIX Vet 2.4/ 2.7 / 3.5 Series

Ø2.4mm Cortical Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z24-SO-008	3.7 mm	2.4 mm	8 mm	Silver
Z24-SO-010	3.7 mm	2.4 mm	10 mm	Silver
Z24-SO-012	3.7 mm	2.4 mm	12 mm	Silver
Z24-SO-014	3.7 mm	2.4 mm	14 mm	Silver
Z24-SO-016	3.7 mm	2.4 mm	16 mm	Silver
Z24-SO-018	3.7 mm	2.4 mm	18 mm	Silver
Z24-SO-020	3.7 mm	2.4 mm	20 mm	Silver
Z24-SO-022	3.7 mm	2.4 mm	22 mm	Silver
Z24-SO-024	3.7 mm	2.4 mm	24 mm	Silver
Z24-SO-026	3.7 mm	2.4 mm	26 mm	Silver
Z24-SO-028	3.7 mm	2.4 mm	28 mm	Silver
Z24-SO-030	3.7 mm	2.4 mm	30 mm	Silver
Z24-SO-032	3.7 mm	2.4 mm	32 mm	Silver
Z24-SO-034	3.7 mm	2.4 mm	34 mm	Silver
Z24-SO-036	3.7 mm	2.4 mm	36 mm	Silver
Z24-SO-038	3.7 mm	2.4 mm	38 mm	Silver
Z24-SO-040	3.7 mm	2.4 mm	40 mm	Silver
Z24-SO-045	3.7 mm	2.4 mm	45 mm	Silver
Z24-SO-050	3.7 mm	2.4 mm	50 mm	Silver

Ø2.4mm Locking Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z24L-SO-008	3.8 mm	2.4 mm	8 mm	Blue
Z24L-SO-010	3.8 mm	2.4 mm	10 mm	Blue
Z24L-SO-012	3.8 mm	2.4 mm	12 mm	Blue
Z24L-SO-014	3.8 mm	2.4 mm	14 mm	Blue
Z24L-SO-016	3.8 mm	2.4 mm	16 mm	Blue
Z24L-SO-018	3.8 mm	2.4 mm	18 mm	Blue
Z24L-SO-020	3.8 mm	2.4 mm	20 mm	Blue
Z24L-SO-022	3.8 mm	2.4 mm	22 mm	Blue
Z24L-SO-024	3.8 mm	2.4 mm	24 mm	Blue
Z24L-SO-026	3.8 mm	2.4 mm	26 mm	Blue
Z24L-SO-028	3.8 mm	2.4 mm	28 mm	Blue
Z24L-SO-030	3.8 mm	2.4 mm	30 mm	Blue
Z24L-SO-032	3.8 mm	2.4 mm	32 mm	Blue
Z24L-SO-034	3.8 mm	2.4 mm	34 mm	Blue
Z24L-SO-036	3.8 mm	2.4 mm	36 mm	Blue
Z24L-SO-038	3.8 mm	2.4 mm	38 mm	Blue
Z24L-SO-040	3.8 mm	2.4 mm	40 mm	Blue
Z24L-SO-045	3.8 mm	2.4 mm	45 mm	Blue
Z24L-SO-050	3.8 mm	2.4 mm	50 mm	Blue

Ø2.7 mm Cotical Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z27-SO-008	3.7 mm	2.7 mm	8 mm	Silver
Z27-SO-010	3.7 mm	2.7 mm	10 mm	Silver
Z27-SO-012	3.7 mm	2.7 mm	12 mm	Silver
Z27-SO-014	3.7 mm	2.7 mm	14 mm	Silver
Z27-SO-016	3.7 mm	2.7 mm	16 mm	Silver
Z27-SO-018	3.7 mm	2.7 mm	18 mm	Silver
Z27-SO-020	3.7 mm	2.7 mm	20 mm	Silver
Z27-SO-022	3.7 mm	2.7 mm	22 mm	Silver
Z27-SO-024	3.7 mm	2.7 mm	24 mm	Silver
Z27-SO-026	3.7 mm	2.7 mm	26 mm	Silver
Z27-SO-028	3.7 mm	2.7 mm	28 mm	Silver
Z27-SO-030	3.7 mm	2.7 mm	30 mm	Silver
Z27-SO-032	3.7 mm	2.7 mm	32 mm	Silver
Z27-SO-034	3.7 mm	2.7 mm	34 mm	Silver
Z27-SO-036	3.7 mm	2.7 mm	36 mm	Silver
Z27-SO-038	3.7 mm	2.7 mm	38 mm	Silver
Z27-SO-040	3.7 mm	2.7 mm	40 mm	Silver
Z27-SO-045	3.7 mm	2.7 mm	45 mm	Silver
Z27-SO-050	3.7 mm	2.7 mm	50 mm	Silver

Ø2.7 mm Locking Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z27L-SO-008	3.8 mm	2.7 mm	8 mm	Gold
Z27L-SO-010	3.8 mm	2.7 mm	10 mm	Gold
Z27L-SO-012	3.8 mm	2.7 mm	12 mm	Gold
Z27L-SO-014	3.8 mm	2.7 mm	14 mm	Gold
Z27L-SO-016	3.8 mm	2.7 mm	16 mm	Gold
Z27L-SO-018	3.8 mm	2.7 mm	18 mm	Gold
Z27L-SO-020	3.8 mm	2.7 mm	20 mm	Gold
Z27L-SO-022	3.8 mm	2.7 mm	22 mm	Gold
Z27L-SO-024	3.8 mm	2.7 mm	24 mm	Gold
Z27L-SO-026	3.8 mm	2.7 mm	26 mm	Gold
Z27L-SO-028	3.8 mm	2.7 mm	28 mm	Gold
Z27L-SO-030	3.8 mm	2.7 mm	30 mm	Gold
Z27L-SO-032	3.8 mm	2.7 mm	32 mm	Gold
Z27L-SO-034	3.8 mm	2.7 mm	34 mm	Gold
Z27L-SO-036	3.8 mm	2.7 mm	36 mm	Gold
Z27L-SO-038	3.8 mm	2.7 mm	38 mm	Gold
Z27L-SO-040	3.8 mm	2.7 mm	40 mm	Gold
Z27L-SO-045	3.8 mm	2.7 mm	45 mm	Gold
Z27L-SO-050	3.8 mm	2.7 mm	50 mm	Gold

ARIX Vet 2.4/ 2.7 / 3.5 Series

Ø3.5mm Cortical Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z35-SO-008	5.0 mm	3.5 mm	8 mm	Purple
Z35-SO-010	5.0 mm	3.5 mm	10 mm	Purple
Z35-SO-012	5.0 mm	3.5 mm	12 mm	Purple
Z35-SO-014	5.0 mm	3.5 mm	14 mm	Purple
Z35-SO-016	5.0 mm	3.5 mm	16 mm	Purple
Z35-SO-018	5.0 mm	3.5 mm	18 mm	Purple
Z35-SO-020	5.0 mm	3.5 mm	20 mm	Purple
Z35-SO-022	5.0 mm	3.5 mm	22 mm	Purple
Z35-SO-024	5.0 mm	3.5 mm	24 mm	Purple
Z35-SO-026	5.0 mm	3.5 mm	26 mm	Purple
Z35-SO-028	5.0 mm	3.5 mm	28 mm	Purple
Z35-SO-030	5.0 mm	3.5 mm	30 mm	Purple
Z35-SO-032	5.0 mm	3.5 mm	32 mm	Purple
Z35-SO-034	5.0 mm	3.5 mm	34 mm	Purple
Z35-SO-036	5.0 mm	3.5 mm	36 mm	Purple
Z35-SO-038	5.0 mm	3.5 mm	38 mm	Purple
Z35-SO-040	5.0 mm	3.5 mm	40 mm	Purple
Z35-SO-045	5.0 mm	3.5 mm	45 mm	Purple
Z35-SO-050	5.0 mm	3.5 mm	50 mm	Purple

Ø3.5mm Locking Screws



Code	Head Diameter	Outer Diameter	Length	Color
Z35L-SO-008	4.9 mm	3.5 mm	8 mm	Green
Z35L-SO-010	4.9 mm	3.5 mm	10 mm	Green
Z35L-SO-012	4.9 mm	3.5 mm	12 mm	Green
Z35L-SO-014	4.9 mm	3.5 mm	14 mm	Green
Z35L-SO-016	4.9 mm	3.5 mm	16 mm	Green
Z35L-SO-018	4.9 mm	3.5 mm	18 mm	Green
Z35L-SO-020	4.9 mm	3.5 mm	20 mm	Green
Z35L-SO-022	4.9 mm	3.5 mm	22 mm	Green
Z35L-SO-024	4.9 mm	3.5 mm	24 mm	Green
Z35L-SO-026	4.9 mm	3.5 mm	26 mm	Green
Z35L-SO-028	4.9 mm	3.5 mm	28 mm	Green
Z35L-SO-030	4.9 mm	3.5 mm	30 mm	Green
Z35L-SO-032	4.9 mm	3.5 mm	32 mm	Green
Z35L-SO-034	4.9 mm	3.5 mm	34 mm	Green
Z35L-SO-036	4.9 mm	3.5 mm	36 mm	Green
Z35L-SO-038	4.9 mm	3.5 mm	38 mm	Green
Z35L-SO-040	4.9 mm	3.5 mm	40 mm	Green
Z35L-SO-045	4.9 mm	3.5 mm	45 mm	Green
Z35L-SO-050	4.9 mm	3.5 mm	50 mm	Green



PRODUCT RANGES: INSTRUMENTS

1.2 / 1.5 / 2.0 Series Instruments

Screwdriver Shaft



Z113-NF-101



Z113-ST-001

Code	Description
Z113-NF-101	Screwdriver Shaft for Ø 1.2 mm Screws (Cruciform)
Z113-ST-001	Screwdriver Shaft for Ø 1.5 / Ø 2.0 mm Screws (STARIX Driver)

Forceps



Code	Description
Z114-009	Grasping Forceps

Screwdriver Handle



Code	Description
Z111-010	Screwdriver Handle

Drill Bits (AO Type)



Z112-12-701



Z112-15-702



Z112-20-701

Code	Description	Length
Z112-12-701	Drill Bit for Ø 1.2 mm Screws (DO Ø 1.0)	69.0 mm
Z112-15-702	Drill Bit for Ø 1.5 mm Screws (DO Ø 1.2)	93.0 mm
Z112-20-701	Drill Bit for Ø 2.0 mm Screws (DO Ø 1.6)	93.0 mm

1.2 / 1.5 / 2.0 Series Instruments

Drill Guide



Z111-187



Z111-185



Z111-186

Code	Description
Z111-187	Drill Guide for Ø 1.2 mm Screws
Z111-185	Drill Guide for Ø 1.5 mm Screws
Z111-186	Drill Guide for Ø 2.0 mm Screws

Depth Gauge




Z111-188R





Z111-189R

Code	Description
Z111-188R	Depth Gauge for Ø 1.2 mm Screws
Z111-189R	Depth Gauge for Ø 1.5 / Ø 2.0 mm Screws

Plug Screws



Z111-194



Z111-195

Code	Description
Z111-194	Plug Screw for Ø 1.2 mm Screws (Head Diameter: Ø 2.4 mm, Length: 1.8 mm)
Z111-195	Plug Screw for Ø 1.5 / Ø 2.0 mm Screws (Head Diameter: Ø 3.3 mm, Length: 1.8 mm)

Drill Sleeves



Z111-182



Z111-183



Z111-210



Z111-184



Z111-160F



Z111-157

Code	Description
Z111-182	Drill Sleeve for Ø 1.2 mm Screws, Fixed Angle
Z111-183	Drill Sleeve for Ø 1.5 mm Screws, Fixed Angle
Z111-210	Drill Sleeve for Ø 2.0 mm Screws, Fixed Angle
Z111-184	Drill Sleeve for Ø 1.5 mm Screws, Variable Angle
Z111-160F	Drill Sleeve for Ø 2.0 mm Screws, Variable Angle
Z111-157	Drill Sleeve Handle for Ø 1.5 / Ø 2.0 mm Screws, Variable Angle


1.2 / 1.5 / 2.0 Series Instruments

Plate Cutter



Code	Description
Z111-190	Plate Cutter

Plate Bender



Z111-033



Z111-191

Code	Description
Z111-033	Plate Bender (Plier Type)
Z111-191	Plate Bender (Bar Type - Used as a pair)

K-wire Dispenser

Only Steam Sterilization (132°C, 15min)



Code	Description
Z111-096-V	ARIX Vet System K-wire Dispenser (Ø 0.6 / 0.7 / 0.8 / 0.9 / 1.0 / 1.1 / 1.2 / 1.4 / 1.6) * Without K-wire

1.2 / 1.5 / 2.0 Series Instruments

Screw Disk



Z112-125-1



Z112-125-2

Code	Description
Z112-125-1	Screw Disk for Ø 1.2 mm Screws * Without Implants
Z112-125-2	Screw Disk for Ø 1.5 / Ø 2.0 mm Screws * Without Implants

Plate Module




Code	Description
Z112-125-3	ARIX Vet Plate Module * Without Implants



1.2/1.5/2.0 mm System

Designed for Toy Breed and Small Pets



Z112-125

ARIX Vet 1.2 / 1.5 / 2.0 mm System Full Kit

Z112-125-4

ARIX Vet 1.2 / 1.5 / 2.0 mm System Container * Without Implants

2.4 / 2.7 / 3.5 Series Instruments

Screwdriver Shaft



Z113-HF-623



Z113-HF-616

Code	Description
Z113-HF-623	Screwdriver Shaft for Ø 2.4 / 2.7 mm Screws (STARIX 8)
Z113-HF-616	Screwdriver Shaft for Ø 3.5 mm Screws (STARIX 10)

Drill Bits (AO Type)



Z112-24-701



Z112-27-701



Z112-35-711



Z112-35-712

Code	Description	Length
Z112-24-701	Drill Bit for Ø 2.4 mm Screws (DO Ø 1.8)	118.0 mm
Z112-27-701	Drill Bit for Ø 2.7 mm Screws (DO Ø 2.0)	118.0 mm
Z112-35-711	Drill Bit for Ø 3.5 mm Cortical Screws (DO Ø 2.6)	138.0 mm
Z112-35-712	Drill Bit for Ø 3.5 mm Locking Screws (DO Ø 2.8)	138.0 mm

Drill Guide



Z111-251



Z111-252



Z111-253



Z111-254

Code	Description
Z111-251	Drill Guide for Ø 2.4 mm Screws (DO Ø 1.8)
Z111-252	Drill Guide for Ø 2.7 mm Screws (DO Ø 2.0)
Z111-253	Drill Guide for Ø 3.5 mm Cortical Screws (DO Ø 2.6)
Z111-254	Drill Guide for Ø 3.5 mm Locking Screws (DO Ø 2.8)

Screwdriver Handle



Code	Description
Z111-063	Screwdriver Handle for Screwdriver Shaft

2.4 / 2.7 / 3.5 Series Instruments

Drill Sleeves



Z111-241



Z111-242



Z111-243



Z111-244



Z111-245



Z111-246



Z111-247



Z111-248

Code	Description
Z111-241	Drill Sleeve for Ø 2.4 mm Screws, Fixed Angle
Z111-242	Drill Sleeve for Ø 2.7 mm Screws, Fixed Angle
Z111-243	Drill Sleeve for Ø 3.5 mm Cortical Screws, Fixed Angle
Z111-244	Drill Sleeve for Ø 3.5 mm Locking Screws, Fixed Angle
Z111-245	Drill Sleeve for Ø 2.4 mm Screws, Variable Angle
Z111-246	Drill Sleeve for Ø 2.7 mm Screws, Variable Angle
Z111-247	Drill Sleeve for Ø 3.5 mm Cortical Screws, Variable Angle
Z111-248	Drill Sleeve for Ø 3.5 mm Locking Screws, Variable Angle

Plug Screws



Z111-250-1



Z111-250-2

Code	Description
Z111-250-1	Plug Screw for Ø 2.4 / 2.7 mm Plates
Z111-250-2	Plug Screw for Ø 3.5 mm Plates

Plate Bender



Z111-249-R



Z111-249-L

Code	Description
Z111-249-R	Plate Bender (right) For Ø 2.4 / 2.7 / 3.5 mm Plates
Z111-249-L	Plate Bender (left) For Ø 2.4 / 2.7 / 3.5 mm Plates

Depth Gauge



Z111-075F



Z111-086

Code	Description
Z111-075F	Depth Gauge for Ø 2.4 / 2.7 mm Screws
Z111-086	Depth Gauge for Ø 3.5 mm Screws

2.4 / 2.7 / 3.5 Series Instruments

ARIX Vet Kit



Code	Description
Z112-150	ARIX Vet 2.4 / 2.7mm System Plate & Screw Kit



Code	Description
Z112-151	ARIX Vet 3.5mm System Plate & Screw Kit




Code	Description
Z112-152	ARIX Vet 2.4 / 2.7 / 3.5 mm System Instrument Kit



2.4/2.7/3.5 mm System

Designed for Large Pets



Z112-132 * Including Z112-132-1 / Z112-132-2 / Z112-132-3 / Z112-132-4
ARIX Vet 2.4 / 2.7 / 3.5 mm System Full Kit

Z112-132-1
Container

Z112-132-2
Instruments Tray

Z112-132-3
Plate Tray

Z112-132-4
Screw Tray






SELECTION CHART

Plates Selection Chart

1.2 – 3.5 Series



Please note that this plate selection chart is a guide. The plate and screw selection remains the surgeon's decision.

Color Code System		
Blue	Gold	Green
		
Ø 2.4 mm Plate	Ø 2.7 mm Plate	Ø 3.5 mm Plate

Instruments Selection Chart

1.2 / 1.5 / 2.0 Series

Code		Ø1.2mm	Ø1.5mm	Ø2.0mm
Plate Bender				
Z111-033		☐	☐	☐
Z111-191		☐	☐	☐
Drill Sleeve				
Z111-182		☐	☐	☐
Z111-183		☐	☐	☐
Z111-210		☐	☐	☐
Z111-184		☐	☐	☐
Z111-160F		☐	☐	☐
Drill Bit				
Z112-12-701		☐	☐	☐
Z112-15-702		☐	☐	☐
Z112-20-701		☐	☐	☐
Depth Gauge				
Z111-188R		☐	☐	☐
Z111-189R		☐	☐	☐

Code		Ø1.2mm	Ø1.5mm	Ø2.0mm
Plate Cutter				
Z111-190		☐	☐	☐
Screwdriver Handle				
Z111-010		☐	☐	☐
Screwdriver Shaft				
Z113-NF-101		☐	☐	☐
Z113-ST-001		☐	☐	☐
Drill Guide				
Z111-187		☐	☐	☐
Z111-185		☐	☐	☐
Z111-186		☐	☐	☐
Plug Screw				
Z111-194		☐	☐	☐
Z111-195		☐	☐	☐

Instruments Selection Chart

2.4 / 2.7 / 3.5 Series

Code		Ø 2.4 mm	Ø 2.7 mm	Ø 3.5 mm
Plate Bender				
Z111-249-R		○	○	○
Z111-249-L		○	○	○
Depth Gauge				
Z111-075F		○	○	
Z111-086				○
Drill Bit				
Z112-24-701		○		
Z112-27-701			○	
Z112-35-711				○
Z112-35-712				○
Drill Guide				
Z111-251		○		
Z111-252			○	
Z111-253				○
Z111-254				○

Code		Ø 2.4 mm	Ø 2.7 mm	Ø 3.5 mm
Drill Sleeve				
Z111-241		○		
Z111-242			○	
Z111-243				○
Z111-244				○
Z111-245		○		
Z111-246			○	
Z111-247				○
Z111-248				○
Screwdriver Handle				
Z111-063		○	○	○
Screwdriver Shaft				
Z113-HF-623		○	○	
Z113-HF-616				○
Plug Screw				
Z111-250-1		○	○	
Z111-250-2				○

Color Code System			
Blue	Yellow	Purple	Green
			
Ø 2.4 mm Cortical & Locking Screws	Ø 2.7 mm Cortical & Locking Screws	Ø 3.5 mm Cortical Screws	Ø 3.5 mm Locking Screws



**Petia Vet Health S.A.U.**

Polígono A Relva, Torneiros 36410, O Porriño, PONTEVEDRA

Telf 986 330 400

 Telf 655 791 507 (*indicar código postal en caso de pedido*)

info@petia.es - www.petia.es



petiavethealth



@ petiavethealth



petiavethealth



 YouTube